


Product Code . EL-EELE-11376

## Flow Through Helical Coil



### Description

---

#### Flow Through Helical Coil

When a fluid flow through a curved tube, centrifugal force acting upon the various elements of fluid moving with different velocities causes secondary circulation. Secondary flow results in higher heat transfer characteristics. Helical coils are used for heating or cooling in process tanks. Further secondary flow stabilizes the laminar flow leading of a higher critical Reynolds number for transition from laminar to turbulent flow.

Utilities Required:-

- Electricity 500 watts, 220 V, 1 phase.
- Floor area 1 m x 2 m.

Experiment:-




- To compare the pressure drop in helical coil with that in a straight pipe of same length, inside diameter and surface roughness.
- To determine the critical Reynolds number of a fluid flowing through the coil.
- To determine the friction factor for flow of water through helical coil.

---

We are leading manufacturers, suppliers of Flow Through Helical Coil for Electronics Engineering Lab Equipments. Contact us to get high quality Flow Through Helical Coil for Electronics Engineering Lab Equipments for schools, colleges, universities, research labs, laboratories and various industries.

```
{ "@context": "https://schema.org/", "@type": "Product", "name": "Flow Through Helical Coil",  
"image": "http://www.educational-  
equipments.com/images/catalog/product/193840028FlowThroughHelicalCoilWithlogo.jpg",  
"description": "When a fluid flow through a curved tube, centrifugal force acting upon the various  
elements of fluid moving with different velocities causes secondary circulation. Secondary flow results  
in higher heat transfer characteristics. Helical coils are used for heating or cooling in process  
tanks. Further secondary flow stabilizes the laminar flow leading of a higher critical Reynolds number  
for transition from laminar to turbulent flow. Utilities Required:- • Electricity 500 watts, 220 V, 1 phase.  
• Floor area 1 m x 2 m. Experiment:- • To compare the pressure drop in helical coil with that in a  
straight pipe of same length, inside diameter and surface roughness. • To determine the critical  
Reynolds number of a fluid flowing through the coil. • To determine the friction factor for flow of water  
through helical coil. We are leading manufacturers, suppliers of Flow Through Helical Coil for  
Electronics Engineering Lab Equipments. Contact us to get high quality Flow Through Helical Coil for  
Electronics Engineering Lab Equipments for schools, colleges, universities, research labs,  
laboratories and various industries.", "brand": "Educational Lab Equipments", "sku": "5", "gtin8": "5",  
"gtin13": "5", "gtin14": "5", "mpn": "5", "aggregateRating": { "@type": "AggregateRating",  
"ratingValue": "5", "bestRating": "5", "worstRating": "0", "ratingCount": "15" } }
```

---

Educational Lab Equipments,  
#449, HSIIDC, Industrial Area, Saha, Haryana  
Direct Contact Details  +91-98173-19615  sales@educational-equipments.com  
 www.educational-equipments.com