

Product Code . EL-TWL-11817

Datalogger



Description

Datalogger

Description:-

Datalogger has been designed to gather data simply from laboratory tests.

The Basic Unit includes the sensors most frequently used in the experiments (voltage, current, electric power, temperature, luminosity, magnetic field and pressure), but it can be extended via the external connection of Sensors.

It can also be used in direct connection with a PC, via USB, to gather and process data the software Workspace.

It includes high-resolution converters (12 bit) to ensure the highest accuracy in measurements.

It can be used in stand-alone mode, with quantities shown on the graphics display and commands set by a joystick.

It is supplied with a 2 MB internal RAM memory for storing the acquired quantities.

Specification:-

Sensors included: voltage, current, temperature, luminosity, magnetic field, absolute pressure of gases

Graphic Liquid-Crystal Display (LCD): 128 x 64 pixels

5-keys Joystick

Number of analog inputs for internal sensors: 4

Number of digital inputs: 3

RAM: 2 MB

Number of analog outputs: 2

Internal signal generator

Max. sampling frequency per channel: 1 MHz

It can be powered via USB when connected to a PC

USB Full Speed interface (12 Mbps) 2.0

It can be powered by an external USB power supply

Conversion resolution: 12 bit

Dimensions: 158 x 93 x 30 mm

Number of analog inputs for external sensors: 4

{ "@context": "https://schema.org/", "@type": "Product", "name": "Datalogger", "image": "http://www.educational-equipments.com/images/catalog/product/1531521958DataloggerWithlogo.jpg", "description": "Datalogger has been designed to gather data simply from laboratory tests. The Basic Unit includes the sensors most frequently used in the experiments (voltage, current, electric power, temperature, luminosity, magnetic field and pressure), but it can be extended via the external connection of Sensors. It can also be used in direct connection with a PC, via USB, to gather and process data the software Workspace. It includes high-resolution converters (12 bit) to ensure the highest accuracy in measurements. It can be used in stand-alone mode, with quantities shown on the graphics display and commands set by a joystick. It is supplied with a 2 MB internal RAM memory for storing the acquired quantities. Specification:- Sensors included: voltage, current, temperature, luminosity, magnetic field, absolute pressure of gases Graphic Liquid-Crystal Display (LCD): 128 x 64 pixels 5-keys Joystick Number of analog inputs for internal sensors: 4 Number of digital inputs: 3 RAM: 2 MB Number of analog outputs: 2 Internal signal generator Max. sampling frequency per channel: 1 MHz It can be powered via USB when connected to a PC USB Full Speed interface (12 Mbps) 2.0 It can be powered by an external USB power supply Conversion resolution: 12 bit Dimensions: 158 x 93 x 30 mm Number of analog inputs for external sensors: 4", "brand": "Educational Lab Equipments", "sku": "5", "gtin8": "5", "gtin13": "5", "gtin14": "5", "mpn": "5", "aggregateRating": { "@type": "AggregateRating", "ratingValue": "5", "bestRating": "5", "worstRating": "0", "ratingCount": "15" } }

Educational Lab Equipments,
#449, HSIIDC, Industrial Area, Saha, Haryana
Direct Contact Details 📞 +91-98173-19615 ✉ sales@educational-equipments.com

